ProPlex® GBS

EZ-LAN UNITY 18
GIGABIT SWITCH

Makes Networking Easier and More Accessible!



- EZ-User configurable, high-throughput Gigabit Switch
- Simultaneously separate and distribute up to five discrete networks – e.g lighting, audio, media, content, console, communications – with a few button presses
- Two EZ-LANs do the work of up to 8 unmanaged Gigabit switches
- 14 LAN ports in two- and four-port groups, assignable to up to five VLANs
- 2 EtherCon Trunk ports, 2 OpticalCon Trunk ports (Quad standard. Duo optional)
- Add a second fibre or copper connection for automatic redundancy and twice the speed
- Compatible with a wide range of entertainment-specific protocols, including AES67, ArtNet, Dante, GreenGo, HippoNet, HogNet, Livewire, MA-Net 2/3, Q-LAN, RAVENNA, RDMNet, sACN, and more!

PoE

Available with 8 ports

EZ-LAN makes today's complex show networking easier and accessible for everyone. These simple to operate yet powerful Gigabit Ethernet switches distribute up to five discrete networks – lighting, audio, content, server, console, or communications – quickly, effortlessly, and simultaneously.

Users untrained in the complexities of managed networking can easily isolate networks and access and change VLAN assignments with a single button press.

With 14 ports, assignable in up to five separate groups, EZ-LAN is a revolutionary addition to the ProPlex Data Distribution range of multiple format data management systems, all designed and built to withstand "Life on the Road."

LDI AWARDS
BEST DEBUTING PRODUCT: WIDGET

BUILT TO LAST!

ProPlex - DATA DISTRIBUTION YOU CAN DEPEND ON

Worldwide Exclusive Distribution

Los Angeles +1 818.899.8818
London +44 (0)20.8574.9700
New York +1 201.896.8600
tmb
Toronto +1 519.538.0888
Beijing +86 10.8492.1587
Riga +371 6389 8886

www.proplex.com
sales@tmb.com


© 2025, TMB. All rights reserved. LITPPXEZLAN18 Effective: 07 October 2025
Specifications are subject to change without notice. This information supersedes all previously supplied information.

Technical Specifications		
Part Number	PPEZL2Q16R	PPEZLPOE2Q16R
Base TX 10/100/1000 Ports	16	
Fiber Optic Link Ports	2	
Optical Connectors	Neutrik OpticalCON QUAD (DUO option available)	
Ethernet Connectors	Neutrik EtherCON RJ45	
AC Power	100-240V, 50/60Hz	
Power Connector	Neutrik PowerCON TRUE1 IN/THRU	
Number of Ports with PoE	0	8
PoE type	-	"PoE+" (25W) also compatible with “PoE” (15W) devices
PoE standards	-	802.3af and 802.3at
Max unit power consumption	30W	270W
Color LCD display	Yes, 1.8"	
Custom switch configurations	Yes, via LCD menu	
Port status LEDs	Single-color	RGB multicolor
Operating Temperature	-20°C to +40°C	
EIA Rack Units	19” 2U	
Unit Dimensions (WxHxD)	19 x 3.5 x 12 in (483 x 90 x 305 mm)	
Shipping Dimensions (WxHxD)	21 x 7.75 x 15.5 in (533 x 197 x 394 mm)	
Unit Weight	10.8 lb (4.9 kg)	TBA
Shipping Weight	16.5 lb (7.5 kg)	TBA



© 2025, TMB. All rights reserved. LITPPXEZLAN18 Effective: 07 October 2025
Specifications are subject to change without notice. This information supersedes all previously supplied information.

Ordering Codes	
Part Number	**Description**
PPEZL2Q16R	PROPLEX EZ-LAN UNITY 18 RM, 16x ECON, 2x QUAD OCON
PPEZL2D16R	PROPLEX EZ-LAN UNITY 18 RM, 16x ECON, 2x DUO OCON
PPEZLPOE2Q16R	PROPLEX EZ-LAN UNITY 18 POE+ RM, 16x ECON, 2x QUAD OCON
PPEZLPOE2D16R	PROPLEX EZ-LAN UNITY 18 POE+ RM, 16x ECON, 2x DUO OCON
PPEZL2QS16R	PROPLEX EZ-LAN UNITY 18 RM, 16x ECON, 2x QUAD OCON SM
PPEZL2DS16R	PROPLEX EZ-LAN UNITY 18 RM, 16x ECON, 2x DUO OCON SM
PPEZLPOE2QS16R	PROPLEX EZ-LAN UNITY 18 POE+ RM, 16x ECON, 2x QUAD OCON SM
PPEZLPOE2DS16R	PROPLEX EZ-LAN UNITY 18 POE+ RM, 16x ECON, 2x DUO OCON SM
PPEZL218RRMKIT	REAR RACKMOUNT KIT



Rear RackMount Kit option available

© 2025, TMB. All rights reserved. LITPPXEZLAN18 Effective: 07 October 2025
Specifications are subject to change without notice. This information supersedes all previously supplied information.

CONTACT INFORMATION

LOS ANGELES HEADQUARTERS

527 Park Avenue | San Fernando, CA 91340, USA

Tel: +1 818.899.8818 | Fax: +1 818.899.8813

sales@tmb.com

TMB 24/7 TECH SUPPORT

US/Canada: +1.818.794.1286

Toll Free: 1.877.862.3833 (1.877.TMB.DUDE)

UK: +44 (0)20.8574.9739

Toll Free: 0800.652.5418

techsupport@tmb.com

LOS ANGELES +1 818.899.8818

LONDON +44 (0)20.8574.9700

NEW YORK +1 201.896.8600

BEIJING +86 10.8492.1587

CANADA +1 519.538.0888

RIGA +371 6389 8886

www.proplex.com

A full service company providing technical support, customer service, and follow-up. Providing products and services for the industrial, entertainment, architectural, installation, defense, broadcast, research, telecommunications, and signage industries. Servicing the global market from offices in Los Angeles, London, New York, Toronto, Riga and Beijing.